
RECRUITER ALL-WOOD SPORT LOCKER INSTALLATION INSTRUCTIONS



General Instructions

- 1. Check material received against the packing list. First check the number of packages received and then check the contents of each package.
- 2. Check material received for damage. If damage has occured, secure the "damage notation" from the carrier.


CAUTION

IN THE INTEREST OF SAFETY, ALL LOCKERS MUST BE SECURELY ANCHORED TO THE FLOOR AND/OR WALL. FOR SAFETY, HANDLE ALL COMPONENT CAREFULLY AND WEAR WORK GLOVES WHEN ASSEMBLING LOCKERS. INSTALL ALL UNITS PLUMB AND TIGHTEN ALL HARDWARE SECURELY. RETAIN INSTRUCTIONS FOR FUTURE REFERENCE.




RECRUITER INSTALLATION INSTRUCTIONS


- 1. Install wood sleepers (by others) (see detail A).
- 2. Install lockers from left to right. If applicable, install left end panel prior to placing first locker.
- 3. Anchor lockers to wall (inside every second security box to conceal fastener) and sleeper base.
- 4. Interlock subsequent lockers with face trim splines (see detail B).
- 5. Fasten each adjacent locker using blind screw locations (see detail C). End panels use same locations for fastening.



DETAIL A: Sleeper Layout (section view)




DETAIL B: Spline location





DETAIL C: Blind screw locations






1 CORNER FILLER






2 LEFT FRONT FILLER



3 RIGHT FRONT FILLER





4 | LEFT END PANEL


5 RIGHT END PANEL



RECRUITER 2 QUICK-SHIP SETBACK WOOD SPORT LOCKER INSTALLATION INSTRUCTIONS







General Instructions

- 1. Check material received against the packing list. First check the number of packages received and then check the contents of each package.
- 2. Check material received for damage. If damage has occurred, secure a "damage notation" from the carrier.


CAUTION

IN THE INTEREST OF SAFETY, ALL LOCKERS MUST BE SECURELY ANCHORED TO THE FLOOR AND/OR WALL. FOR SAFETY, HANDLE ALL COMPONENTS CAREFULLY AND WEAR WORK-GLOVES WHEN INSTALLING LOCKERS. INSTALL ALL UNITS LEVEL AND PLUMB, AND TIGHTEN ALL HARDWARE SECURELY. RETAIN INSTRUCTIONS FOR FUTURE REFERENCE.




RECRUITER 2 QUICK-SHIP SETBACK WOOD SPORT LOCKER INSTALLATION INSTRUCTIONS


- 1. Install wood sleepers (by others), (see DETAIL A). Note that a level sleeper base is critical for a quality locker installation. Pressure treated 2" x 4" at floor. Standard 2" x 4" at second level.
- 2. If applicable, install finished end panel prior to placing first locker.
- 3. Shim as required.
- Fasten each adjacent locker using joint connector bolt and nut at locations shown in DETAIL B. End
 panels use same locations for fastening.
- Attach lockers to wall (inside every second security box to conceal fastener) and sleeper base.
 Anchor every locker to sleeper base using furnished screws.



DETAIL A: Sleeper Layout(Section View)








Sleeper Base Deatail


RECRUITER 2 QUICK-SHIP SETBACK WOOD SPORT LOCKER INSTALLATION INSTRUCTIONS



DETAIL B: Adjacent Locker Attachment Points
Ensure front of lockers are flush before tightening




RECRUITER 2 END PANEL INSTALLATION INSTRUCTIONS



FINISHED END PANELS
For exposed ends only




RECRUITER II ACCESSORY INSTALLATION INSTRUCTIONS




PARTIAL FINISHED END PANEL (Used only on Corner Fillers and Front Fillers)

CORNER FILLER DETAIL



FRONT END FILLER DETAIL (LH Shown)



FRONT INTERMEDIATE FILLER DETAIL

