TEEN LOCKER ASSEMBLY INSTRUCTIONS

General Instructions


- 1. Check material received against the packing list. Check the number of packages received and then check the contents of each package.
- 2. Check the material received for damage. If damage has occurred, secure a "damage notation" from the carrier
- 3. Identify each part as it is unpacked and put like parts together as close as possible to the working area where they are to be assembled.
- 4. Be careful to use the correct hardware as specified in the assembly instructions.

CAUTION

In the interest of safety, all lockers must be securely anchored to the floor and/or wall. For safety, handle all components carefully and wear work gloves when assembling lockers. Install all units plumb and tighten all hardware securely. Retain instructions for future reference.



KIDS LOCKERS ASSEMBLY INSTRUCTIONS - HKL151548-1



| PACKAGE CONTENTS | | | |
|------------------|--------------|---------------------|------|
| ITEM NO. | PART # | DESCRIPTION | QTY. |
| 1 | KDHF1548-1LV | FRAME/DOOR ASSY. | 1 |
| 2 | HTLC1515 | TOP | 1 |
| 3 | KP1548-HKL | SIDE | 2 |
| 4 | KH1515 | HAT SHELF | 1 |
| 5 | KS1515-HKL | BOTTOM | 1 |
| 6 | KR1548-HKL | REAR | 1 |
| 7 | MBT200 | 3/8" SLOTLESS BOLTS | 46 |
| 8 | N201 | HEX NUTS | 44 |
| 9 | N110 | DOME HEX NUT | 2 |
| 10 | RPE100 | ESCUTCHEON PLATE | 1 |
| 11 | H5K | SINGLE HOOK | 2 |
| 12 | H7K | DOUBLE HOOK | 1 |


























STEP 1:

- Lay the rear panel on the floor. Bolt side panels(3) to the inside of the rear panel(6).



STEP 2:

Bolt top(2) to the outside of the rear and side panels,

