

www.southwestsolutions.com

Toll Free 1-800-803-1083

nedge-sha



SOUTHWESTS OLUTIONS GROUP

business organization systems






TABLE OF CONTENTS	Page
Bookstack Assemblies / Mobile	1-2
Divider Type Assemblies / Mobile	3-4
Bookstack Assemblies / Static	5-6
Divider Type Assemblies / Static	7-8
Display Units	9
Frames & Supports	10-11
Base Shelves	12
Adjustable Shelves	12-13
Specialty Shelves	13-14
Accessories	15-17
Options	17-19

or nearly thirty years, Spacesaver has been a pioneer in the storage industry, earning forty patents and thousands of satisfied customers along the way. Today, thousands of libraries around the world rely on us for consistent quality, shelf after shelf, frame after frame. Whether school, academic, special, or public, we have the experience to respond creatively and comprehensively to your library's needs. Today, you not only need to shelve media, but also display and merchandise it. We are continually expanding our line of specialty shelves and accessories to keep up with the demands of today - and tomorrow. At some point you may need to reconfigure that's where Spacesaver Library Shelving products really pay off. Every shelf, frame and accessory is made to the strictest standards to ensure simple reassembly. And since Spacesaver shelving is designed for static and mobile configurations, you can achieve maximum capacity no matter how you arrange your library.


SSEMBLY NUMBERING SYSTEM

The assembly part numbering system for Spacesaver Cantilever Library Shelving Products describes the individual assembly in detail. This system will simplify your ordering and provide a quick reference to the size of related parts included in an assembly.





MOBILE GUSSETED UNITS (For use on Spacesaver mobile carriages.)



BOOKSTACK ASSEMBLIES / MOBILE



SINGLE FACE (Starter Assemblies)

OPENIN	ACTUAL GS SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL UNIT DEPTH	CATALOG NO
78"	HIGH			
6	7"	7"	9"	CBS3607077BS1G
6	7"	9*	11"	CBS36070978S1G
6	8-	8"	10"	CBS3608087BS1G
6	B**	9"	11."	CBS36080978S1G
6	9"	9"	11"	CBS36090978S1G
6	9"	11"	13"	CBS36091178S1G
6	11"	117	13"	CBS36111178S1G
84"	HIGH			
7	7"	7"	9"	CBS36070784S1G
7	7"	g+	11"	CBS36070984S1G
7	8-	8"	10"	CBS36080884S1G
7	В"	9"	11"	CBS36080984S1G
7	9"	9"	11"	CBS36090984S1G
7	9"	11"	13"	CBS36091184S1G
7	11"	11"	13"	CBS36111184S1G
90"	HIGH			
7	7"	7"	9"	CBS36070790S1G
7	7"	9"	11"	CBS36070990S1G
7	8"	8"	10"	CBS36080890S1G
7	8-	9"	11"	CBS36080990S1G
7	9"	9"	11"	CBS36090990S1G
7	g"	11"	13"	CBS36091190S1G
7	11"	11"	13"	CBS36111190S1G

 $\begin{array}{lll} \textbf{SINGLE} & \textbf{FACE} & (Adder\ Assemblies) \\ \textbf{II} \text{ an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.: CBS36070790A1G. \\ \end{array}$

- NOTE:

 Single Face Starter Assemblies include two (2) Gusseted Base Supports, whereas, Single Face Adder Assemblies include one (1) Gusseted Base Support on the right end.

 Assemblies do not include Canopy Top, or Levelers.

 Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.

 For other heights, consult factory.

 All cheff does of descriptions in the pastalog number are actual. For library nominal dimension.

- All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.
 All single face units must be anchored to the floor, platform, wall or overhead.

DOUBLE FACE (Starter Assemblies)

OPENIN	ACTUAL GS SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL UNIT DEPTH	CATALOG NO.
78"	HIGH			
6	9"	9"	20"	CDD36090978S1G
6	9"	11"	24"	CDD36091178S1G
6	9"	12"	26"	CDD36091278S1G
6	10"	10"	22"	CDD36101078S1G
6	11"	11"	24"	CDD36111178S1G
6	12"	12"	26"	CDD36121278S1G
6	12"	15"	32"	CDD36121578S1G
6	15"	15"	32"	CDD36151578S1G
84"	HIGH		250	
7	9"	9,	20"	CDD36090984S1G
7	9"	11"	24"	CDD36091184S16
7	9"	12"	26"	CDD36091284S1G
7	10"	10"	22"	CDD36101084S1G
7	11"	11."	26"	CDD36111184S1G
7	12"	12"	26"	CDD36121284S10
7	12"	15"	32"	CDD36121584S10
7	15"	15"	32"	CDD36151584S10
90"	HIGH		2011	CDD36090990S10
7	9"	9"	20"	CDD36091190S10
7	9"	11	24"	CDD36091790S16
7	9"	12"	26"	Contract to the contract of th
7	10"	10"	22"	CDD36101090S10
7	11"	11"	24"	CDD36111190S10
7	12"	12"	26"	CDD36121290S10
7	12"	15"	32"	CDD36121590S10
7	15"	15"	32"	CDD36151590S10



 $\begin{tabular}{ll} \textbf{DOUBLE} & \textbf{FACE} & (Adder\ Assemblies) \\ \textbf{If an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.: CDD36121584A1G. \\ \end{tabular}$

- Divider-type Assemblies include five (5) Dividers per shelf.
- Double Face Starter Assemblies include two (2) Gusseted Base Supports, whereas, Double Face Adder Assemblies include one (1) Gusseted Base Support on the right end
- Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.

 For other heights, consult factory.
- All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.
- Assemblies do not include Canopy Top, or Levelers.

BOOKSTACK ASSEMBLIES / STATIC



SINGLE FACE (Starter Assemblies)


OPENING	ACTUAL S SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL UNIT DEPTH	CATALOG NO.
42"	HIGH			
3	7"	7"	9"	CBS36070742S3
3	7"	9"	11"	CBS36070942S3
3	8"	8"	10"	CBS36080842S3
3	8"	9"	11"	CBS36080942S3
3	9"	g"	11"	CBS36090942S3
3	9"	11"	13"	CBS36091142S3
3	11"	11"	137	CBS36111142S3
66"	HIGH			
5	7"	7"	9"	CBS36070766S3
5	7"	9"	11"	CBS36070966S3
5	8"	8"	10"	CBS36080866S3
	8"	9"	11-	CBS36080966S3
5	9"	9"	11-	CBS36090966S3
5		11"	13"	CBS36091166S3
5	9"	11"	13"	CBS36111166S3
5	11-	11.	13	GB33011110033
7.00	HIGH	7"	9"	CBS36070778S3
6		9"	11"	CBS36070978S3
6	7"	8	10"	CBS36080878S3
6	8"		11"	CBS36080978S3
6	8"	9"		
6	g-	9"	11"	CBS36090978S3
6	9"	11"	13"	CBS36091178S3
6	11"	11-	13"	CBS36111178S3
	HIGH		22.7	
7	7"	7"	9"	CBS36070784S3
7	7"	9"	11"	CBS36070984S3
7	8"	8"	10"	CBS36080884S3
7	8"	9"	11"	CBS36080984S3
7	9"	9"	11"	CBS36090984S3
7	9"	11"	13"	CBS36091184S3
7	11"	11"	13"	CBS36111184S3
90"	HIGH			
7	7"	7"	9"	CBS36070790S3
7	7"	9"	11"	CBS36070990S3
7	8"	8"	10"	CBS36080890S3
7	8"	9"	11"	CBS36080990S3
7	9"	9"	11"	CBS36090990S3
7	9"	11"	13"	CBS36091190S3
7	11"	11"	13"	CBS36111190S3

SINGLE FACE ($Adder\ Assemblies$) If an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.: CBS36091184A3

- NOTE:
 Single Face Starter Assemblies include two (2) Base Supports, whereas, Single Face Adder Assemblies include one (1) Base Support on the right end
 Assemblies do not include Canopy Top, or Levelers.
 All single face units must be anchored to the floor, wall or overhead.
 Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.
 For other heights, consult factory.
 All shelf doubt dimensions in the catalog number are actual. For library nominal dimension.
- All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.
 Includes Base Filler.

DOUBLE FACE (Starter Assemblies)

	OPENIN	GS	ACTUAL SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL UNIT DEPTH	CATALOG NO.
	42"	н	GH			
	3		7*	7"	16"	CBD36070742S3
	3		7"	9"	20"	CBD3607094253
	3		8"	B~	18"	CBD36080842S3
T .	3		8"	9"	20"	CBD36080942S3
ndon.	3		9"	9"	20"	CBD36090942S3
den.	3		9"	11-	24"	CBD36091142S3
_	3		11-	11"	24"	CBD36111142S3
	66"	н	GH			
	5		7"	7"	16"	CBD36070766S3
1	5		7"	9"	20"	CBD36070966S3
The same	5		8"	8"	18"	CBD36080866S3
Sec.	5		8"	9"	20"	CBD36080966S3
olen.	5		9"	9"	20"	CBD36090966S3
den.	5		9"	11"	24"	CBD36091166S3
da	5		11"	11."	24"	CBD36111166S3
	78"	н	IGH			
1	6		7"	7"	16"	CBD36070778S3
T	6		7"	9"	20"	CBD36070978S3
der.	6		8"	8"	18"	CBD36080878S3
alan.	6		8"	9"	20"	CBD36080978S3
magan).	6		9"	9"	20"	CBD36090978S3
-	6		g-	11"	24"	CBD36091178S3
_	Б		11-	11"	24"	CBD36111178S
	84"	н	IGH			Alexandra.
I	7		7"	T"	16"	CBD36070784S3
	7		7"	9"	20"	CBD36070984S3
-	7		8"	8"	18"	CBD36080884S3
-	7		8"	9"	20"	CBD36080984S3
	7		9"	9"	20"	CBD36090984S3
	7		9"	11"	24"	CBD36091184S3
	7		11"	11"	24"	CBD36111184S3
1	90"	н	IGH			CD2_0715755 CF
	7	1	7"	7"	16"	CBD36070790S
T	7		7"	9"	20"	CBD36070990S
T	7		8"	8"	18"	CBD36080890S
-	7		8"	9"	20"	CBD36080990S
Marian L	7		9"	9"	20"	CBD36090990S
TARREST	7		9"	11"	24"	CBD36091190S
-	7		11"	11"	24"	CBD36111190S3



- NOTE:

 Double Face Starter Assemblies include two (2) Base Supports, whereas, Double Face Adder Assemblies include one (1) Base Support on the right end.

 It is recommended that all units over 78" tall be anchored to the floor or overhead (per local codies ant/or requirements).

 Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.

 For other heights, consult factory.

 All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.

 Includes Base Filler.

 Assemblies do not include Canopy Top, or Levelers.
- Assemblies do not include Canopy Top, or Levelers.

IVIDER-TYPE ASSEMBLIES / STATIC



SINGLE FACE (Starter Assemblies)

OPENII	ACTUAL NGS SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL UNIT DEPTH	CATALOG NO.
42"	HIGH			
3	9"	9"	11"	CDS36090942S3
3	9"	11"	13"	CDS36091142S3
3	9"	12"	14"	CDS36091242S3
3	10"	10"	12*	CDS3610104ZS3
3	11"	11"	13"	CDS36111142S3
3	12"	12"	14"	CDS36121242S3
			17"	
3	12"	15"		CDS36121542S3
3	15"	15"	17"	CDS36151542S3
66"	HIGH			
5	9"	9"	11"	CDS36090966S3
5	9"	117	13"	CDS36091166S3
5	9"	12"	14"	CDS36091266S3
5	10"	10"	12"	CDS36101066S3
5	11"	11"	13"	CDS36111166S3
5	12"	12"	14"	CDS36121266S3
5	12"	15"	17"	CDS36121566S3
5	15"	15"	17-	CDS36151566S3
78"	нібн			
6	9"	9"	11"	CDS36090978S3
6	9"	11"	13"	CDS36091178S3
	9"	12"	14"	CDS36091278S3
6				
6	10"	10"	12"	CDS36101078S3
6	11"	11"	13"	CDS36111178S3
6	12"	12"	14"	CDS36121278S3
6	12"	15"	17"	CDS36121578S3
6	15"	15"	17"	CDS36151578S3
84"	HIGH			
7	9"	9"	11"	CDS36090984S3
7	9"	11"	13"	CDS36091184S3
7	9"	12"	14"	CDS36091284S3
7	10"	10"	12"	CDS36101084S3
7	11"	11"	13"	CDS36111184S3
7	12"	12"	14"	CDS36121284S3
7	12"	15"	17"	CDS36121584S3
7	15"	15"	17"	CDS36151584S3
90"	HIGH			
7	9"	9"	11"	CDS36090990S3
7	9"	11"	13"	CDS36091190S3
7	9"	12"	14"	CDS36091290S3
7	10"	10"	12"	CDS36101090S3
7	11"	11"	13"	CDS36111190S3
7	12"	12"	14"	CDS36121290S3
7	12"	15"	17"	CDS36121590S3
7	15"	15"	17"	CDS36151590S3
1	19	10	11	003010108093


SINGLE FACE (Adder Assemblies)

If an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.: CDS36121584A3.

- Divider-type Assemblies include five (5) Dividers per shelf.
 Single Face Starter Assemblies include two (2) Base Supports, whereas, Single Face Adder Assemblies include one (1) Base Support on the right end.
- All Single Face units must be anchored to the floor, wall or overhead.
 Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.
- · For other heights, consult factory.
- All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.
- Assemblies do not include Canopy Top, or Levelers.

DOUBLE FACE (Starter Assemblies)

	OPENIN	ACTUAL GS SHELF DEPTH	ACTUAL BASE SHELF DEPTH	OVERALL Unit Depth	CATALOG NO.
	42"	HIGH			
	3	9"	9"	20"	CDD36090942S3
	3	9"	11"	24"	CDD36091142S3
		9"	12"	26"	CDD36091242S3
	3		10"	22"	CDD36101042S3
100	3	10"	11"	24"	CDD36111142S3
and the last	3	11"		26"	CDD36121242S3
I	3	12"	12"	-	CDD3612154ZS3
-	3	12"	15"	32"	CDD36151542S3
min.	3	15"	15"	32"	CUU301313+233
	66"	HIGH	0.0	nne	CDD36090966S3
	5	9"	9"	20"	
2	5	9"	11"	24"	CDD36091166S3
_	5	9"	12"	26"	CDD36091266S3
T	5	10"	10"	22"	CDD36101066S3
-	5	11"	11"	24"	CDD36111166S3
AND DESCRIPTION OF	5	12"	12"	26"	CDD36121266S3
-		12"	15"	32"	CDD36121566S3
工	5	15"	15"	32"	CDD36151566S3
	78"	HIGH			
		9"	9"	20"	CDD36090978S3
1	6	9"	11"	24"	CDD36091178S3
And in case of	6	9"	12*	26"	CDD36091278S3
AND DESCRIPTION OF	6	100	10"	22"	CDD36101078S3
Andrea.	6	10"		24"	CDD36111178S3
1	5	11"	11"		CDD36121278S3
	6	12"	12"	26"	CDD36121578S3
-	6	12"	15"	32"	
主	6	15"	15"	32"	CDD36151578S3
1	84"	HIGH		00"	22000000000000
-	7	9"	9"	20"	CDD36090984S3
-	7	9"	11"	24"	CDD36091184S3
I	7	9"	12"	26"	CDD36091284S3
T	7	10"	10"	22"	CDD36101084S3
	7	11"	11"	26"	CDD36111184S3
-	7	12"	12"	26"	CDD36121284S3
-	7	12"	15"	32"	CDD36121584S3
-	7	15"	15"	32"	CDD36151584S3
	90'	HIGH			contribution of sale
		9"	9"	20"	CDD36090990S3
	7	9"	11"	24"	CDD36091190S3
1	7	9"	12"	26"	CDD36091290S3
4	-	10"	10"	22"	CDD36101090S3
-	7		11"	24"	CDD36111190S3
	7	11"	12"	26"	CDD36121290S3
7 E	7	12"		32"	CDD36121590S3
===	7	12"	15"	32"	CDD36151590S3
	7	15"	15"	3£	0000010100000



DOUBLE FACE (Adder Assemblies)
If an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.: CDD36121584A3.

- Divider-type Assemblies include five (5) Dividers per shelf.
- Double Face Starter Assemblies include two (2) Base Supports, whereas, Double Face Adder Assemblies include one (1) Base Support on the right end.
- It is recommended that all units over 78" tall be anchored to the floor or overhead (per local codes and/or requirements).
- Assemblies only available in 36" widths. If 24" or 30" wide units are desired, this must be done using component catalog numbers.
- · For other heights, consult factory.
- All shelf depth dimensions in the catalog number are actual. For library nominal dimension, add 1" to actual depth.
- Assemblies do not include Canopy Top, or Levelers.



PERIODICAL DISPLAY & STORAGE UNITS (with Hinged Display Shelves)



Sloped 14" hinged display shelves combined with flat 12" deep storage shelves.

Sloped 14" hinged display shelves combined with flat 12" storage shelves.

SINGLE FACE (Starter Assemblies)

HEIGHT	DISPLAY	STORAGE SHELVES	OVERALL UNIT DEPTH	CATALOG NO.
66"	4	4	15-1/4	CHPS361466S3
78"	5	5	15-1/4	CHPS361478S3
84"	5	5	15-1/4	CHPS361484S3
90"	6	6	15-1/4	CHPS361490S3

DOUBLE FACE (Starter Assemblies)

HEIGHT	DISPLAY SHELVES	STORAGE	OVERALL UNIT DEPTH	CATALOG NO.
66"	8	8	28-1/2	CHPD361466S3
78"	10	10	28-1/2	CHPD361478S3
84"	10	10	28-1/2	CHPD361484S3
90"	12	12	28-1/2	CHPD361490S3

SINGLE & DOUBLE FACE (Adder Assemblies)

If an Adder Assembly unit is desired, change the suffix "S" to "A" when ordering, e.g.:CHPS361466A3.

NOTE

- . The vertical opening between the flat shelf and the hinged display shelf (in the open position) is 6" clear.
- When 24" or 30" wide units are desired, please order using component catalog numbers.

SLOPING DISPLAY UNITS



For merchandising assorted media (i.e., best sellers, VHS tapes, etc.). Shelves are 8" deep actual.

SINGLE FACE (Starter Assemblies)

HEIGHT	LEVEL SHELVES	SLOPED SHELVES	CATALOG NO.
42"	0	3	CSDS360842S
66"	2	3	CSDS360866S
84"	3	4	CSDS360884S
90"	3	4	CSDS360890S

DOUBLE FACE (Starter Assemblies)

HEIGHT	LEVEL SHELVES	SLOPED SHELVES	CATALOS NO.
42"	0	6	CSDD360842S
66"	4	6	CSDD360866S
84"	δ	8	CSDD360884S
90"	6	8	CSDD360890S

SINGLE & DOUBLE FACE (Adder Assemblies)

If an Adder Assembly is desired, change the suffix "S" to "A" when ordering, e.g.:CSDS360866A.

NOTE

[.] If End Panels are used, consult factory for End Panel width dimension.

RAMES AND SUPPORTS

WELDED FRAMES

Accepts all shelves and accessory items. Adjustable on 1" increments. No sway braces to inhibit oversized media from passing center line of bookstack.

FRAME HEIGHT	CATALOG NO."
42"	CWF-4236
66"	CWF-6636
78"	CWF-7836
84"	CWF-B436
90"	CWF-9036



- NOTE:
 "24" or 30" widths are available. Change the catalog number accordingly, e.g.: CWF-8430.
- · Special heights available



SEISMIC WELDED FRAMES

Accepts all shelves and accessory items. Adjustable on 1" increments. May be adapted to meet all seismic requirements.*

FRAME HEIGHT	CATALOG NO.**
78"	CWF3-7836
84"	CWF3-8436
90"	CWF3-9036

NOTE:

- **Additional horizontal spreaders available.

 **24* and 30* widths are available. Change the catalog number accordingly, e.g.: CWF3-8430

 * Special heights available.



BASE SUPPORTS

Single face Base Supports must be specified left or right.

SINGLE FACE

OVERALL SUPPORT DEPTH	LEFT END CATALOG NO."	RIGHT END CATALOG NO."
8 "	CSB-6L	CSB-6R
9 "	CSB-7L	CSB-7R
10"	CSB-8L	CSB-8R
11"	CSB-9L	CSB-9R
12"	CSB-10L	CSB-10R
13"	CSB-11L	CSB-11R
14"	CSB-12L	CSB-12R
17"	CSB-15L	CSB-15R



DOUBLE FACE

OVERALL SUPPORT DEPTH	CATALOG NO."
14"	CDB-6
16"	CDB-7
18"	CDB-8
20"	CDB-9
22"	CDB-10
24"	CDB-11
26"	CDB-12
32"	CDB-15



GUSSETED BASE SUPPORTS

For use in seismic and/or mobile shelving applications. Specify Single Face Base Supports left or right.

SINGLE FACE

OVERALL SUPPORT DEPTH	LEFT END CATALOG NO."	RIGHT END CATALOG NO."
8"	CSBG-6L	CSBG-6R
9"	CSBG-7L	CSBG-7R
10"	CSBG-BL	CSBG-8R
11"	CSBG-9L	CSBG-9R
12"	CSBG-10L	CSBG-10R
13"	CSBG-11L	CSBG-11R
14"	CSBG-12L	CSBG-12R
17"	CSBG-15L	CSBG-15R

DOUBLE FACE

CATALOG NO."
CDBG-6
CDBG-7
CDBG-8
CDBG-9
CDBG-10
CDBG-11
CDBG-12
CDBG-15

NOTE:

- . *Catalog number corresponds to actual depth of Base Shelf used.
- . Gusseted Base Supports are 69" high

TRANSVERSE OVERHEAD TIE STRUTS

For extra stabilization overhead when local conditions require.

STRUT LENGTH	CATALOG NO
96"	CTTS-96
120"	CTTS-120
WALL ANCHOR BRACKET*	CTSWA
SPLICE KIT*	CTTS-SK



· *Includes hardware.



WALL COLUMN SUPPORTS

All shelves and accessory components can easily be attached to Wall Column Supports for wall-mounted installations*. Column width and depth: $2^3/4^n$ wide x $^3/4^n$ deep.

п	
1	
ı	
п	
и	
п	
ı	
1	
۰	
١	
	7. A.
п	
п	
и	
۰	
ı	
۰	
1	
1	
ı	
١	
۰	
1	
١	
1	
1	
1	
-	

COLUMN HEIGHT	CATALOG NO
42"	CWFC-42
66"	CWFC-66
78"	CWFC-78
84"	CWFC-84
90"	CWFC-90

NOTE:

- *If Canopy Tops are desired for use with Wall Column Supports, consult factory.
- · Special heights available.
- Recommended for concrete or brick walls. To be anchored with the appropriate hardware supplied by the installer for the specific wall material.

3" BASE SHELVES*



3" Base Shelves position media clear of brooms and floor mops.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CBSPB-3606
7"	CBSPB-3607
8"	CBSPB-3608
9"	CBSPB-3609
10"	CBSPB-3610
11"	CBSPB-3611
12"	CBSPB-3612
15"	CRSPR-3615

3"BASE SHELVES WITH INTEGRAL LOW-BACK*



Integral Low-Back Shelves are compatible with Integral Low-Back Dividers.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CLBBSB-3606
7"	CLBBSB-3607
8"	CLBBSB-3608
9"	CLBBSB-3609
10"	CLBBSB-3610
11"	CLBBSB-3611
12"	CL6656-3612
15"	CLBBSB-3615

NOTE: • Integral Low-Back Dividers (Catalog No. CLBDxx) sold separately. See page 16 for corresponding Integral Low-Back Dividers

3" SLOTTED BASE SHELVES*



Slotted on 1" centers for Dividers. Includes Slotted Backstop.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CBSSB-3606
7"	CBSSB-3607
8"	CBSSB-3608
9"	CBSSB-3609
10"	CBSSB-3610
11"	CBSSB-3611
12"	CBSSB-3612
15"	CBSSB-3615
March - Tarrist - The State	

NOTE: • Dividers sold separately. See page 15.

3" SLOPED PLAIN BASE SHELVES*



Sloped to aid viewing of items on the bottom shelf.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CBSPB-3606SL
7"	CBSPB-3607SL
8"	CBSPB-3608SL
9"	CBSPB-3609SL
10"	CBSPB-3610SL
11"	CBSPB-3611SL
12"	CBSPB-3612SL
15"	CBSPB-3615SL

NOTE: • If End Panels are used with Sloped Base Shelf, consult factory for End Panel dimension

3" SLOPED BASE SHELVES WITH INTEGRAL LOW-BACK*



Sloped to aid viewing of items on the bottom shelf. Integral Low-Back Shelves are compatible with Integral Low-Back Dividers.

IIII IMIEGRAE EOM-DACK		
ACTUAL SHELF DEPTH	CATALOG NO.	
6"	CLBBSB-3606SL	
7"	CLBBSB-3607SL	
8"	CLBBSB-3608SL	
9"	CLBBSB-3609SL	
10"	CLBBSB-3610SL	
11"	CLBBSB-3611SL	
12"	CLBBSB-3612SL	
15"	CLBBSB-3615SL	

NOTE: • Integral Low-Back Dividers (Catalog No. CLBDxx) sold separately. See page 16 for corresponding Integral Low-Back Dividers.

 If End Panels are used with Sloped Base Shelf, consult factory for End Panel dimension

3" SLOPED SLOTTED BASE SHELVES*



Slotted on 1" centers for Dividers. Sloped to aid viewing of items on the bottom shelf. Includes Slotted Backstop.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CBSSB-3606SL
7"	CBSSB-3607SL
8"	CBSSB-3608SL
9"	CBSSB-3609SL
10"	CBSSB-3610SL
11"	CBSSB-3611SL
12"	CBSSB-3612SL
15"	CBSSB-3615SL

NOTE: Dividers sold separately.

See page 15.

If End Panels are used with Sloped Base Shelf, consult factory for End Panel dimension.

DJUSTABLE SHELVES

PLAIN ADJUSTABLE SHELVES*

All shelves include End Brackets.

ACTUAL SHELF DEPTH	CATALOG NO
6"	CSPB-3606
7"	CSPB-3607
8"	CSPB-3608
9"	CSPB-3609
10"	CSPB-3610
11"	CSPB-3611
12"	CSPB-3612
15"	CSPB-3615

Integral Low-Back Shelves are compatible with Integral Low-Back Dividers

ADJUSTABLE SHELVES WI	TH INTEGRAL LOV	V-BACK*
	ACTUAL SHELF DEPTH	CATALOG NO.
	6"	CLBSB-3606
RALL STATE OF THE	7"	CLBSB-3607
	8"	CLBSB-3608
38.	9"	CLBSB-3609
THE STATE OF THE S	10"	CLBSB-3610
4	11"	CLBSB-3011
	12"	CLBSB-3612
egral Low-Back Shelves are com- tible with Integral Low-Back	15"	CLBSB-3615
	The second secon	Maria Company of the

NOTE: • Integral Low-Back Dividers (Catalog No. CLBDxx) sold separately. See page 16 for corresponding Integral Low-Back Dividers

^{*} Base Shelves include End Brackets. Standard widths of 36". 24" and 30" are available. Change the catalog number accordingly, e.g., CBSPB-2411. If 1" nominal "Base Shelves" are desired, see below for Adjustable Shelves.

^{* 24&}quot; and 30" shelf widths are available.

ADJUSTABLE SHELVES (Continued)

SLOTTED ADJUSTABLE SHELVES*



Slotted on 1" centers for Dividers. Includes Slotted Backstop.

ACTUAL SHELF DEPTH	CATALOG NO
6"	CSSB-3606
7"	CSSB-3607
8"	CSSB-3608
9"	CSSB-3609
10"	CSSB-3610
11"	CSSB-3611
12"	CSSB-3612
15"	CSSB-3615

NOTE: • Dividers sold separately. For Dividers, see page 15.

SLOPED PLAIN ADJUSTABLE SHELVES*



Sloped for easier veiwing of displayed items.

ACTUAL SHELF DEPTH	CATALOS NO.
6"	CSPB-3606SL
7"	CSPB-3607SL
8"	CSPB-3608SL
9"	CSPB-3609SL
10"	CSPB-3610SL
11"	CSPB-3611SL
12"	CSP6-3612SL
15"	CSPB-3615SL

NOTE: • If End Panels are used with Sloped Shelf, consult factory for End Panel dimension.

* Shelves include End Brackets.

24" and 30" shelf widths are available. Change the catalog number accordingly, e.g., CSPB-2410 Adjustable Shelves may be used as Base Shelves in conjunction with the Adjustable Kick Plates.

SLOPED ADJUSTABLE SHELVES WITH INTEGRAL LOW BACK*



Sloped to aid viewing of displayed items. Integral Low-Back Shelves are compatible with Integral Low-Back Dividers.

ACTUAL SHELF DEPTH	CATALOG NO.
6"	CLBSB-3606SL
7"	CLBSB-3607SL
8"	CLBSB-3608SL
9"	CLBSB-3609SL
10"	CLBSB-3610SL
11"	CLBSB-3611SL
12"	CLBSB-3612SL
15"	CLBSB-3615SL

NOTE: • Integral Low-Back Dividers (Catalog No. CLBDxx) sold separately. See page 16 for corresponding Integral Low-Back Divider. • If End Panels are used with Sloped Base Shelf, consult factory for End Panel dimension.

SLOPED SLOTTED ADJUSTABLE SHELVES*



Sloped to aid viewing of displayed items. Includes Slotted Backstop.

ACTUAL SHELF DEPTH	CATALOG NO
6"	CSSB-3606SL
7"	CSSB-3607SL
8"	CSSB-3608SL
9"	CSSB-3609SL
10"	CSSB-3610SL
11"	CSSB-3611SL
12"	CSSB-361ZSL
15"	CSSB-3615SL

NOTE: • Dividers sold separately. For Dividers, see page 15.

 If End Panels are used with Sloped Base Shelf, consult factory for End Panel dimension.

SPECIALTY SHELVES

PERIODICAL DISPLAY SHELF (HINGED)



Sloped display surface (with no exposed fasteners) is 14" high. Flat storage shelf is 12" deep.

- ACTUAL SHELF
 DEPTH/DISPLAY

 12"/14"

 CHPD3612
- 12"/14" (SPECIAL 3" BASE) CHPD33612

 NOTE: The vertical opening between the flat shelf and the hinded display shelf
 - (in the open position) is 6"clear.

 Recommend minimum 14" vertical center-to-center spacing.
 - Front retaining lip is 1" deep.

FIXED DISPLAY SHELF



11" high, sloped display surface for merchandising of books, tapes and periodicals.

ACTUAL SHELF DEPTH	FRONT LIP SIZE	CATALOG NO.
11"	1"	CFPS1-3611
11"	2"	CFPS2-3611
11"	3"	CFPS3-3611

NOTE: • Recommend minimum 11" vertical center-to-center spacing.

PERIODICAL DISPLAY SHELF (HINGED) WITH PLEXIGLAS COVERS



Sloped display is 14" high, Flat storage shelf is 12" deep.

ACTUAL SHELF DEPTH/DISPLAY	CATALOG NO.
12"/14"	CHPSC-3612
12"/14" (SPECIAL 3" HASE)	CHPSC3-3612

NOTE: The vertical opening between the flat shelf and the hinged display shelf (in the open position) is 6"clear.

 Recommend minimum 14" vertical center-to-center spacing.
 Front retaining lip is 1" deep.

Includes End Brackets. Can be used for storage under the Fixed Display Shelf.

FLAT STORAGE SHELF



ACTUAL	SHELF DEPTH	CATALOG NO
	11"	CFSSB3611
	12"	CFSSB3612
	15"	CFSSB3615

PULL-OUT REFERENCE SHELF



For convenient referencing, Pull-Out Reference Shelf has a 50 lb, load capacity.

ACTUAL REFERENCE SHELF WIDTH/DEPTH	TO BE USED WIT SHELF DEP	
32"/9"	8"	CSRS-3609-08
32"/9"	9"	CSRS-3609-09
32"/11"	10"	CSRS-3611-10
32"/11"	11"	CSRS-3611-11
32"/11"	12"	CSRS-3611-12
32"/11"	15"	CSRS-3611-15

NOTE: • Requires minimum 1" clear space underneath stationary shelf.
• Order Shelf separately.

VHS. CD & PAPERBACK SHELF



Slotted on 1" centers. Includes one (1) Slotted Backstop and four (4) Dividers per shelf. Each shelf holds approximately 26 VHS tapes or 80 CDs.

ACTUAL SHELF DEPTH CATALOG NO.

NOTE: • When storing standard VHS tapes upright, recommend a minimum 10* vertical center-to-center spacing.

2 TIER, SLOPED VHS & CD SHELF



Each 36"wide shelf holds approximately 56 VHS tapes (28 per tier) or 168 CDs (84 per tier), Sloped to aid viewing.

- OVERALL SHELF DEPTH HEIGHT CATALOG NO.

 14" 11" CVCD3615DT
- NOTE: When storing standard VHS tapes on the second tier, recommend a minimum of 17" vertical center-to-center spacing.
 - Also in 24" and 30" widths. Change the catalog no. accordingly, e.g.: CVCD2415DT

VHS & CD WIRE RACK



One VHS & CD Wire Rack holds 26 VHS tapes or 78 CDs.

- ACTUAL RACK DEPTH CATALOG NO.

 6" CVHSCD-R-36
- NOTE: When storing standard VHS tapes, recommend a minimum of 10" vertical center-to-center spacing.

2 TIER AUDIO CASSETTE TAPE SHELF



Each 36" wide shelf holds approximately 100 audio cassette tapes (50 per tier).

ACTUAL SHELF DEPTH	OVERALL SHELF HEIGHT	CATALOG NO.
6"	7"	CATASB-3606 (Adjustable)
6"	10"	CATBSB-3606 (Base)

NOTE: • Recommend a minimum 11" vertical center-to-center spacing.
• Also in 24" and 30" widths. Change the

 Also in 24" and 30" widths. Change the catalog no. accordingly, e.g., CATASB-3006.

2 TIER MICROFILM SHELF



Each 36" wide shelf holds approximately 40 - 1"/4" w. x 4" d. x 4" h. microfilm boxes (20 per tier).

ACTUAL SHELF DEPTH	OVERALL SHELF HEIGHT	CATALOG NO.
9″	7"	CMSS-3609 (Adjustable)
9"	10"	CMSSB-3609 (Base)

NOTE: • Recommend a minimum 10" vertical center to center spacing

MULTIMEDIA BROWSING BOX



Each 36" wide unit stores approximately 42 VHS tapes or 100 CDs. Shown here accepting Snap-In Wire Dividers, catalog no. CHWS-67.

12" 61/4" CBBM3812

- NOTE: . Includes black, non-skid floor mat.
 - CHWS-67 "Snap-In" Wire Dividers
 - sold separately. See page 16.

 When storing standard VHS tapes, recommend a minimum of 10" vertical center to center spacing.

1 TIER MULTIMEDIA BROWSING BOX (DIVIDER-TYPE)



DEPTH	HEIGHT	CATALOG	NO.
12"	61/4"	CBB3612SI	MM

NOTE: • Includes one black, non-skid floor mat. • Dividers sold separately. See below for CMMD955 Dividers.

 When storing standard VHS tapes, recommend a minimum 10" vertical center-to-center spacing.

2 TIER MULTIMEDIA BROWSING BOX (DIVIDER-TYPE)



DEPTH	HEIGHT	CATALOG NO.
15"	81/2"	CBB3615SMMDT

- NOTE: Includes two black, non-skid floor mets.
 - Dividers sold separately. See below for CMMD568 Dividers.
 - When storing standard VHS tapes, recommand a minimum 12" vertical center-to-center spacing.

MULTIMEDIA BROWSING BOX DIVIDERS

FO	A BROWS	ING BOX TYPE	CATALOG NO
1	TIER	(CBB3612SMM)	CMMD955
2	TIER	(CBB3615SMMDT)	CMMD568
м	DIA	QUANTITY OF	DIVIDERS PER TIER
CI	Ds .		5
VI	HS TAPE	S	5
м	ICROFIL	M BOXES	7

14

AUDIO CASSETTE TAPES

CCESSORIES

ZIGZAG DISPLAY BACKSTOP



HEIGHT	CATALOG NO.
33/4"	CZBS-36

NOTE: • Includes Backstop and fasteners only.
Order Shelf separately.

For merchandising a variety of audio-visual and paperback media.

CENTERSTOP* (Offset for back-to-back shelving)



HEIGHT	CATALOG NO.
33/4"	CCS-36
NOTE: • Order Shelves separ	ately.

Eliminates the need for indivdual backstops.

PLAIN BACKSTOP* (Narrow)



0	HEIGHT	CATALOG NO.
	33/4"	CABP36
١	NOTE: • Order Shelf se	parately.
81		

Order one (1) per shelf.

SLOTTED BACKSTOP* (Narrow)



HEIGHT	CATALOS NO.
33/4"	CABS36

NOTE: • Order Shelf separately.

Order one (1) per shelf.

PLAIN BACKSTOP* (Full height)



CATALOG NO
CPBS-36

Interlocks with shelf. Order one (1) per shelf.

SLOTTED BACKSTOP* (Full height)



HEIGHT	CATALOG NO
6"	CSBS-36

Interlocks with shelf. Order one (1) per shelf. *24" and 30" widths available.

DIVIDERS



Dividers	 -11	211	Indial.

	ACTUAL SHELF DEPTH	CATALOG NO.
	6"	CFD-6
ı	7"	CFD-7
ı	8"	CFD-8
ı	9"	CFD-9
ı	10"	CFD-10
	11"	CFD-11
Ų	12"	CFD-12
	15"	CFD-15

6 TIER NEWSPAPER RACK



NOTE: • For 36" newspaper sticks. Newspaper sticks not included.

CATALOG NO. **CNR615**

Display up to 6 newspapers.

MEDIA BAG RACK



Hang large or small media bags o	11
this 36" rod. Includes deflection	
inhibiting low-back shelf, clip and	
end brackets.	

WILL ACCOMMODATE MEDIA BAGS UP TO	ACTUAL END BRACKET DEPTH	SHELF DEPTH	CATALOG NO.
12"deep	10"	6"	CMHR3610
20"deep	12"	10"	CMHR3612

NOTE . Media bags not included.

STEEL BOOK SUPPORTS



A. FINDABLE BOOK SUPPORT

Eliminates searching for book supports between books.

HEIGHT	PAD TYPE	CATALOG NO.
6"	With full cork base	CBE-06NL
9"	With full cork base.	CBE-09NL
10"	With full cark base	CBE-10NL
6"	With magnetic base	CBE-06NLM
9"	With magnetic base	CBE-09NLM
10"	With magnetic base	CBE-10NLM

B. FLAT BOOK END

Place media on top of the Flat Book End for support.

HEIGHT	CATALOG NO.	
4"	CACD-4	
6"	CBE-06	
9"	CBE-09	

NOTE: Includes full cork base.

C. CLIP ON BOOK SUPPORT Easy to locate the "Clip-On" Book Support since it clips on the shelf front.

LOG NO.
CCODS
CCOD9

NOTE: - Includes full cork base.

"W" HANGING WIRE SUPPORT (Squeeze Type)



(5) different shelf depths.

Available in three (3) sizes for five

ACTUAL SHELF DEPTH	CATALOG NO
8" & 9"	CWWS08
10" & 11"	CWWS10
12"	CWWS12

NOTE: . If used with Canopy Tops, order "W" Type Canopy Tops

"SNAP IN" HANGING WIRE BOOK SUPPORT



The "Snap In" Hanging Wire Book Supports come in four (4) different

ACTUAL SHELF DEPTH CATALOG NO CHWS-67* 6" & 7" 8" & 9" CHWS-89 CHWS-1012 10", 11" & 12" CHWS-15

NOTE: * CHWS-67 also works with Multimedia Browsing Box, catalog no. CBBM3612.

CANOPY TOP*



Includes mounting brackets.

SINGLE	PACE	
OVERALL TOP DEPTH	ACTUAL SHELF DEPTH	CATALOG NO.
8"	6"	CCTSB-3606
9"	7"	CCTSB-3607
10"	8"	CCTSB-3608
11"	9"	CCTSB-3609
12"	10"	CCTSB-3610

11"

12"

15"

CCTSB-3611

CCTSB-3612 CCTSB-3615

DOUBLE FACE


13" 14"

17"

OVERALL TOP DEPTH	ACTUAL SHELF DEPTH	CATALOG NO.
14"	6"	CCTDB-3606
16"	7"	CCTDB-3607
18"	8"	CCTDB-3608
20"	9"	CCTDB-3609
22"	10"	CCTDB-3610
24"	11"	CCTDB-3611
26"	12"	CCTDB-3612
32"	15"	CCTDB-3615

NOTE: • Not compatible with "W" Hanging Wire Dividers. When "W" Hanging Wire Dividers are used, change "-" to "W" for a Canopy Top which will accommodate "W" Hanging Wire Dividers, a.g., CCTDBW3609.

INTEGRAL LOW-BACK DIVIDERS (For Integral Low-Back Shelves)



Available in three (3) sizes for five (5) different shelf depths.

ACTUAL SHELF DEPTH CATALOG NO

8" & 9"	CLBD08
10", & 11"	CLBD10
12"	CLBD12

NOTE: • Order Integral Low-Back Shelf separately.

CANOPY LIGHT



Illuminate display shelves or brighten dimly lit alcoves. Includes white prismatic diffuser.

WIDTH	DEPTH	CATALOG NO.
36"	201/2"	CCLIGHT3621

NOTE: • Internal, UL listed 24" light fixture accepts 2-24" long bulbs. • Bulbs not included.

Light housing is 12 1/1 deep and 5" high.

RANGE FINDER & CARD HOLDERS



CATALOG NO. SIZE

A. Range Finder 3"H x 5"D RFST35

B. Continuous Card Holder

4"H (Where "ww" is the actual End Panel width, e.g. Use CSIH20 for a 20" wide End Panel.)

C. 3x5 Card Holder

3"H x 5"D CHST35

NOTE: • A & B available in the color to match the color of shelving ordered.

. C available in black finish

. B & C include double-back tape

BRACKETS FOR LAMINATED CANOPY TOP



Fasteners included.

ACTUAL OVERALL TOP DEPTH	LEFT END CATALOG NO.	CATALOG NO.
6",7" & 8"	CCTBL-6L	CCTBL-6R
9", 10", 11" 12" & 15"	CCTBL-15L	CCTBL-15F

NOTE: • Order left and right brackets separately. In the above photo, one CCTBL-15L and one CCTBL-15R are shown in conjunction with a 20"deep (overall) laminated canopy top which was designed to accommodate actual 9" deep shelves.

SHELF LABEL HOLDERS



TYPE	WIDTH	CATALOG	NO.

A. Clear Plastic Label Holder 5" CLH-05

B. Magnetic Label Holder 36" LH-36

NOTE: • Both A & B include paper label inserts

BASE SHELF FILLER



Fills the space between the two back-to-back Base Shelves.

SHELF WIDTH	CATALOG NO.
36"	CBSF-36
(For use with 3" Base Shelf.)	CBSF1-36
(For use with 1" Base Shelf.)	224112

*24" and 30" widths available.

ADJUSTABLE SHELF FILLER*



	_	
Fills the space between	two	back-to-
back Adjustable Shelve:	5.	

SHELF WIDTH	CATALOG NO.	
36"	CASF36	

ADJUSTABLE KICK PLATES*



Adjustable Kick Plates may be used when Adjustable Shelves are used as Base Shelves.

PLUSH (Not Shown) CFKP36

NOTE: • Adjustable, Flush Kick Plate not shown.
• ** Base supports must be 1* less than shell depth when using Adjustable Recessed Kick Plate.

KICK PLATE TYPE

RECESSED **

Both types include mounting hardware.

Both may be used with or without levelers.

CATALOG NO

CKP36

LEVELER KITS



Use when floor is out of level.

SINGLE FACE

NO. OF LEVELING FEET PER KIT	ACTUAL BASE SUPPORT DEPTHS	CATALOG NO.
3	8", 9" & 10"	CSFL0608
4	11", 12", 13", 14" & 17"	CSFL0915

DOUBLE FACE

NO. OF LEVELING FEET PER KIT		CATALOG NO.
4	14", 16" & 18"	CDFL0608
6	20", 22", 24". 26" & 32"	CDFL0915

NOTE: • Order one (1) kit per base support

WALL ATTACHMENT BRACKET



For attaching single face Welded Frames to a wall.

CATALOG NO.

CWAB

NOTE: • Fastening hardware not included

*24" and 30" widths available.



INTERMEDIATE WALL FILLERS



Fills the rectangular void created when two single face sections are placed at a right angle with a double face section. Specify overall unit depths (ds & dd) and frame height used (ht).

CATALOG NO

CIF-dsdddsht

NOTE: • ds = overall depth of the single face unit in inches (including the 2" frame) dd= overall depth of the double face unit in inches (including the 2" frame) ht = height of the adjoining Welded Frame, e.g., CIF-11201184 (for shelves with an actual depth of 9").

CORNER FILLERS



Fills the corner void created when single face sections are placed at right angles. Specify overall unit depths (dsds) and frame height used (ht).

CATALOG NO.

CCF-dsdsht

NOTE: • ds = overall depth of the single face unit in inches (including the 2° frame) ht = height of the adjoining Welded Frame, e.g., CCF-111184 (for shelves with an actual depth of 9°).

END PANEL MOUNTING BRACKETS



For use on both Metal End Panels and Laminate End Panels when Canopy Top is not used. Double face bracket shown.

SINGLE FACE	
ACTUAL SHELF DEPTH	CATALOG NO.
6"	CMEPSS08L
6"	CMEPSS08R
7"	CMEPSS09L
7"	CMEPSS09R
8"	CMEPSS10L
8"	CMEPSS10R
9"	CMEPSS11L
9"	CMEPSS11R
10"	CMEPSS12L
10"	CMEPSS12R
11"	CMEPSS13L
11"	CMEPSS13R
12"	CMEPSS14L
12"	CMEPSS14R
15"	CMEPSS17L
15"	CMEPSS17R

DOUBLE FACE

ACTUAL	CATALDG NO.
SHELF DEPTH	CATACOG NO.
6"	CMEPSD14
7"	CMEPSD16
8"	CMEPSD18
9"	CMEPSD20
10"	CMEPSD22
11"	CMEPSD24
12"	CMEPSD26
15"	CMEPSD32

NOTE: • Order one (1) per End Panel.

CLOSED BACK KITS



Fills the space between the upright frame, Kits include two (2) Upright Fillers (hidden from view).

FRAME HEIGHT	CATALOG NO.	
42"	CBPF-4236	
66"	CBPF-6636	
78"	CBPF-7836	
84"	CBPF-8436	
90"	CBPF-9036	

NOTE: • Also available in 24" and 30" widths. Change the catalog no. accordingly, e.g.: CBPF-4224.

CLOSURE PANELS



May be used to enclose backside of the End Panels. Match the End Panel size.

1 100 71	D PANEL DTH	CATALOG NO.	
78"	FRAME HE	IGHT	
B"	SINGLE FACE	CCP-0878	
9"	SINGLE FACE	CCP-0978	
10"	SINGLE FACE	CCF-1078	
11"	SINGLE FACE	CCP-1178	
12"	SINGLE FACE	CCP-1278	
13"	SINGLE FACE	CCP-1378	
14"	SINGLE FACE	CCP-1478S	
17"	SINGLE FACE	CCP-1778	
14-	DOUBLE FACE	CCP-1478D	
18"	DOUBLE FACE	CCP-1678	
187	DOUBLE FACE	CCP-1878	
20-	DOUBLE FACE	CCP-2078	
22"	DOUBLE FACE	CCP-2278	
24"	DOUBLE FACE	CCP-2478	
26"	DOUBLE FACE	CCP-2678	
32"	DOUBLE FACE	CCP-3278	

84"	FRAME HE	IGHT	90"	FRAME HE	IGHT
8"	SINGLE FACE	CCP-0884	8"	SINGLE FACE	CCP-0890
9"	SINGLE FACE	CCP-0984	9"	SINGLE FACE	CCP-0990
10"	SINGLE FACE	CCP-1084	10"	SINGLE FACE	CCP-1090
11"	SINGLE FACE	CCP-1184	11"	SINGLE FACE	CCP-1190
12"	SINGLE FACE	CCP-1284	12"	SINGLE FACE	CCP-1290
13"	SINGLE FACE	CCP-1384	13"	SINGLE FACE	CCP-1390
14"	SINGLE FACE	CCP-1484S	14"	SINGLE FACE	CCP-14905
17"	SINGLE FACE	CCP-1784	17"	SINGLE FACE	CCP-1790
14"	DOUBLE FACE	CCP-1484D	14"	DOUBLE FACE	CCP-1490[
16"	DOUBLE FACE	CCP-1684	16"	DOUBLE FACE	CCP-1690
18"	DOUBLE FACE	CCP-1884	18"	DOUBLE FACE	CCP-1890
20"	DOUBLE FACE	CCP-2084	20"	DOUBLE FACE	CCP-2090
22"	DOUBLE FACE	CCP-2284	22"	DOUBLE FACE	CCP-2290
24"	DOUBLE FACE	CCP-2484	24"	DOUBLE FACE	CCP-2490
26"	DOUBLE FACE	CCP-2684	26"	DOUBLE FACE	CCP-2690
32"	DOUBLE FACE	CCP-3284	32"	DOUBLE FACE	CCP-3290

METAL END PANELS

SINGLE FACE		DOUBLE FACE		
ACTUAL SHELF DEPTH	CATALOG NO.	ACTUAL SHELF DEPTH	CATALOG NO.	
42" UPRIGHT H	EIGHT	42" UPRIGHT	HEIGHT	
6"	CBMEP4208	6"	CRMEP4214D	
7"	CRMEP4209	7"	CRMEP4Z16D	
	CRMEP4210	В"	CRMEP4218D	
8.			CRMEP4220D	
9"	CRMEP4211	9"		
10"	CRMEP4212	10"	CRMEP4222D	
11"	CRMEP4213	11-	CRMEP4224D	
12"	CRMEP4214	12"	CRMEP4226D	
15"	CRMEP4217	15"	CRMEP4232D	
66" UPRIGHT H	EIGHT	66" UPRIGHT	HEIGHT	
6"	CHMEP66D8	6"	CRMEP6614D	
7*	CRMEP6609	7*	CRMEP6616D	
8"	CRMEP6610	8"	CRMEP6618D	
	CRMEP6611	g"	CRMEP6620D	
9"	(ac) (1 - c) (ac) (3 - c) (1)		CRMEP6622D	
10"	CRMEP6612	10"		
11"	CRMEP6613	11"	CRMEP6624D	
12"	CRMEP6614	12"	CRMEP6626D	
15"	CRMEP6617	15"	CRMEP6632D	
78" UPRIGHT H	EIGHT	78" UPRIGHT		
6"	CRMEP7808	6"	CRMEP7814D	
7"	CRMEP7809	7"	CRMEP7816D	
8"	CRMEP7810	8"	CRMEP7818D	
9"	CRMEP7811	9"	CRMEP7820D	
10"	CRMEP7812	10"	CRMEP7822D	
		11"	CRMEP7824D	
11"	CRMEP7813		CRMEP7826D	
12"	CRMEP7814	12"		
15"	CRMEP7817	15"	CRMEP7832D	
84" UPRIGHT H		84" UPRIGHT		
6"	CRMEP8408	6"	CRMEP8414D	
7"	CRMEP8409	7"	CRMEP8416D	
8"	CRMEP8410	8"	CRMEP8418D	
9"	CRMEP8411	9"	CRMEP8420D	
10"	CRMEP8412	10"	CRMEP8422D	
11"	CRMEP8413	11"	CRMEP8424D	
12"	CHMEP8414	1Z"	CRMEP8426D	
15"	CRMEP8417	15"	CRMEP8432D	
		90" UPRIGHT	HEIGHT	
90" UPRIGHT H	CRMEP9008	6" DPRIGHT	CRMEP9014D	
6"		7"	CRMEP9016D	
7"	CRMEP9009		CRMEP9018D	
8"	CRMEP9010	8"		
9"	CRMEP9011	9"	CRMEP9020D	
10"	CRMEP9012	10"	CRMEP9022D	
11"	CRMEP9013	11.	CRMEP9024D	
12"	CRMEP9014	12"	CRMEP9026D	
		15"	CRMEP9032D	




Use to finish off the exposed ends of shelving ranges. Metal End Panels are $1-\frac{1}{2}$ " thick.

NOTE: • End Panels should be sized to cover the overall base depth. (overall base shelf depth = actual shelf depth + 2" frame.) • End Panel Mounting Brackets sold separately.

See page 19.

www.southwestsolutions.com

Toll Free 1-800-803-1083









SOUTHWESTS OLUTIONS GROUP

business organization systems

