

INDEX PAGE(S) **Drawers for Shelving** Preconfigured Models . . Components Accessories. Assembly and Security Recommendations . . .


MAXIMIZE USE OF SPACE

Say goodbye to poorly lit shelves, backaches and difficulty accessing materials caused by inadequate storage! Let us help you redesign your space.

As storage specialists, we recommend adding drawers to your shelving units to maximize their potential. You will gain a hybrid and versatile system that has proved its effectiveness for over 30 years.

With their sturdy construction and distinctive design, drawers add value to your existing equipment. Modular drawers can be installed in over 35 brands of shelving on the market, so you can even keep your existing set-up. What's more, your new storage system can scale up or down in line with the needs of your business. A simple and economic solution; just imagine the possibilities!

THE DIFFERENCE



The drawers can also be installed in over 35 brands of shelving available on the market. Quick and easy hook-on assembly in most brands of shelving.



A range of dimensions available: 30"W, 36"W, 42"W and 48"W by 18"D and 24"D. Only one set of brackets required for all dimensions.



10 drawer heights and 7 drawer side heights available.



Ouick and easy installation: 1. Hook brackets on

- 2. Hook rails on
- 3. Insert carriages and drawers



400lb. load capacity per drawer. Most durable drawer in the industry.



GENERAL DIMENSIONS






NOTE: Popular dimensions are shown in red.


RECLAIM EXISTING SPACE

Instead of building an addition, use high-density storage and optimize the investment you made in your original space.

Ask our expert consultants for a comprehensive analysis of your potential savings.








CURRENT SITUATION

- 1 Top and bottom shelves are not properly filled, nor accessible.
- 2 Back of shelves are poorly lit and visibile.
- 3 Visibility of various items is hampered by the shelves.
- 4 Vast amount of unused space between shelves.

RESULT

Arduous management and location of your inventory.



OUR RECOMMANDATIONS

- Widely spaced shelves for the storage of larger items.
 - Close-set shelves positioned at eye-level.
- 3 Easily locate objects in a drawer that open's at 100%.
- 4 Optimized use of space based on the sizes of it's stored items.

RESULT

Easier management of your inventory based on an organized storage method.

PRECONFIGURED MODELS



HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF MODULAR DRAWERS FOR SHELVING

- Modular drawers can be installed in over 35 brands of commercially available shelving
- The preconfigured models in this section include brackets for Spider® Shelving. For other types of shelving, please specify the brand and shelving type when ordering.

IMPORTANT

Drawer compartments are included in all models.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., SMS-08-V81-R5LEC-1801 with SMS-08-V81-R5LEC-1802 without





SMS-08-V81-R5SEE-874811

DRAWER	NUMBER OF COMPARTMENTS (LAYOUT CODE)					
DIMENSIONS	36"W × 18"D	36"W × 24"D	42"W × 18"D	42"W × 24"D	48"W × 18"D	48"W × 24"D
3"H to 5"H	24 (0518)	30 (0524)	20 (0512)	30 (0524)	32 (0724)	40 (0732)
6"H to 8"H	8 (0304)	12 (0308)	12 (0308)	12 (0308)	10 (0405)	15 (0410)
9"H and higher	6 (0203)	9 (0206)	6 (0203)	8 (0304)	8 (0304)	8 (0304)

NOTE: Shelving units must be ordered separately.

18"H BANK OF DRAWERS FOR SHELVING

• 4 drawers :

- 3 drawers, 4"H
- 1 drawer, 6"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-1801	36" × 18"
SMS-08-V81-R5LEE-1801	36" × 24"
SMS-08-V81-R5LGC-1801	42" × 18"
SMS-08-V81-R5LGE-1801	42" × 24"
SMS-08-V81-R5LHC-1801	48"×18"
SMS-08-V81-R5LHE-1801	48" × 24"

NOTE: Shelving units must be ordered separately.

24"H BANK OF DRAWERS FOR SHELVING

- 5 drawers :
 - 3 drawers, 4"H
 - 2 drawers, 6"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-2401	36" × 18"
SMS-08-V81-R5LEE-2401	36" × 24"
SMS-08-V81-R5LGC-2401	42" × 18"
SMS-08-V81-R5LGE-2401	42" × 24"
SMS-08-V81-R5LHC-2401	48" × 18"
SMS-08-V81-R5LHE-2401	48"×24"
·	

NOTE Shelving units must be ordered separately.

SMS-08-V81-R5LEE-1801

SMS-08-V81-R5LEE-2401

36"H BANK OF DRAWERS FOR SHELVING



- 7 drawers:
- 3 drawers, 4"H
- 4 drawers, 6"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-3601	36" × 18"
SMS-08-V81-R5LEE-3601	36" × 24"
SMS-08-V81-R5LGC-3601	42" × 18"
SMS-08-V81-R5LGE-3601	42" × 24"
SMS-08-V81-R5LHC-3601	48"×18"
SMS-08-V81-R5LHE-3601	48" × 24"

 ${\bf NOTE:} \quad {\bf Shelving \ units \ must \ be \ ordered \ separately}.$



• 7 drawers :

- 4 drawers, 4"H
- 2 drawers, 6"H
- · 1 drawer, 8"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-3603	36"×18"
SMS-08-V81-R5LEE-3603	36"×24"
SMS-08-V81-R5LGC-3603	42"×18"
SMS-08-V81-R5LGE-3603	42"×24"
SMS-08-V81-R5LHC-3603	48" × 18"
SMS-08-V81-R5LHE-3603	48" × 24"

NOTE: Shelving units must be ordered separately.

SMS-08-V81-R5LEE-3601

SMS-08-V81-R5LEE-3603

PRECONFIGURED MODELS

48"H BANK OF DRAWERS FOR SHELVING



• 8 drawers :

- 8 drawers, 6"H

PRODUCT NO.	W×D	
SMS-08-V81-R5LEC-4801	36"×18"	
SMS-08-V81-R5LEE-4801	36"×24"	
SMS-08-V81-R5LGC-4801	42"×18"	
SMS-08-V81-R5LGE-4801	42"×24"	
SMS-08-V81-R5LHC-4801	48"×18"	
SMS-08-V81-R5LHE-4801	48"×24"	

NOTE: Shelving units must be ordered separately.



• 9 drawers :

- 4 drawers, 4"H
- 4 drawers, 6"H
- 1 drawer, 8"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-4803	36"×18"
SMS-08-V81-R5LEE-4803	36"×24"
SMS-08-V81-R5LGC-4803	42"×18"
SMS-08-V81-R5LGE-4803	42"×24"
SMS-08-V81-R5LHC-4803	48"×18"
SMS-08-V81-R5LHE-4803	48"×24"
·	•

NOTE: Shelving units must be ordered separately.

SMS-08-V81-R5LEE-4803



SMS-08-V81-R5LEE-4805

• 10 drawers:

- 6 drawers, 4"H
- 4 drawers, 6"H

W×D
36"×18"
36"×24"
42"×18"
42"×24"
48"×18"
48"×24"

NOTE: Shelving units must be ordered separately.



• 11 drawers:

- 4 drawers, 3"H
- 3 drawers, 4"H
- 4 drawers, 6"H

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-4807	36"×18"
SMS-08-V81-R5LEE-4807	36"×24"
SMS-08-V81-R5LGC-4807	42"×18"
SMS-08-V81-R5LGE-4807	42"×24"
SMS-08-V81-R5LHC-4807	48"×18"
SMS-08-V81-R5LHE-4807	48"×24"

NOTE: Shelving units must be ordered separately.

SMS-08-V81-R5LEE-4807




• 7 drawers:

- 2 drawers, 3"H
- 3 drawers, 4"H
- 2 drawers, 6"H
- 1 front access roll-out shelf

PRODUCT NO.	W×D
SMS-08-V81-R5LEC-4809	36"×18"
SMS-08-V81-R5LEE-4809	36"×24"
SMS-08-V81-R5LGC-4809	42"×18"
SMS-08-V81-R5LGE-4809	42"×24"
SMS-08-V81-R5LHC-4809	48"×18"
SMS-08-V81-R5LHE-4809	48"×24"

NOTE: Shelving units must be ordered separately.

SMS-08-V81-R5LEE-4809



DRAWERS, SHELVES AND LOCKING/SECURITY MECHANISMS

HEAVY-DUTY MODULAR DRAWER

SMS-08-V81-RF32

/ RF36



- Painted steel drawer: SMS-08-V81-RF32
- Drawer with stainless steel front and gray painted steel interior: SMS-08-V81-RF36
- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Vast choice of accessories available to customize the drawer to your storage needs.
- Drawer heights available: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14"
- To order: Add the drawer height to the product number and specify the type of drawer front required (painted steel or stainless steel), e.g., SMS-08-V81-RF32-362406

PRODUCT NO.	W×D
SMS-08-V81-RF3018_	_30"×18"
SMS-08-V81-RF3024_	_30"×24"
SMS-08-V81-RF3618_	_36"×18"
SMS-08-V81-RF3624_	_36"×24"
SMS-08-V81-RF4218_	_42"×18"
SMS-08-V81-RF4224	42"×24"
SMS-08-V81-RF4818_	_48"×18"
SMS-08-V81-RF4824_	_48"×24"

HEAVY-DUTY FRONT-ACCESS ROLL-OUT SHELF



SMS-08-V81-RF41



- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Painted steel with 3"H edges on the sides and back
- Total height: 6"
- Full access to contents

PRODUCT NO.	W×D
SMS-08-V81-RF41-3018	30"×18"
SMS-08-V81-RF41-3024	30"×24"
SMS-08-V81-RF41-3618	36"×18"
SMS-08-V81-RF41-3624	36"×24"
SMS-08-V81-RF41-4218	42"×18"
SMS-08-V81-RF41-4224	42"×24"
SMS-08-V81-RF41-4818	48"×18"
SMS-08-V81-RF41-4824	48"×24"

LOCK-OUT MECHANISM

SMS-08-V81-RF85



- For both drawers and roll-out shelves
- Locks drawers and roll-out shelves in an open position
- Activated manually, only when required
- Compatible with all drawer accessories
- Plastic bins in the back row may make it more difficult to activate the mechanism

PRODUCT NO. SMS-08-V81-RF85

HEAVY-DUTY 3-SIDED-ACCESS ROLL-OUT SHELF



SMS-08-V81-RF45



- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Galvanized steel with $1\frac{1}{2}$ "H back edge
- Total height: 5"
- · Can be used as a work surface

PRODUCT NO.	W×D
SMS-08-V81-RF45-3018	30"×18"
SMS-08-V81-RF45-3024	30"×24"
SMS-08-V81-RF45-3618	36"×18"
SMS-08-V81-RF45-3624	36"×24"
SMS-08-V81-RF45-4218	42"×18"
SMS-08-V81-RF45-4224	42"×24"
SMS-08-V81-RF45-4818	48"×18"
SMS-08-V81-RF45-4824	48"×24"

SECURITY PANEL

SMS-08-V81-RF91



- Compatible with drawer locks
- Blocks access between two drawers or two banks of drawers
- Usable space in the bank of drawers is reduced by 1"
- Installs between two drawers

PRODUCT NO.	W×D
SMS-08-V81-RF91-3018	30"×18"
SMS-08-V81-RF91-3024	30"×24"
SMS-08-V81-RF91-3618	36"×18"
SMS-08-V81-RF91-3624	36"×24"
SMS-08-V81-RF91-4218	42"×18"
SMS-08-V81-RF91-4224	42"×24"
SMS-08-V81-RF91-4818	48"×18"
SMS-08-V81-RF91-4824	48"×24"

DRAWER LOCK

SMS-08-V81-L3



- Compatible with all drawer dimensions
- Does not reduce the drawer's storage space
- · Easy to retrofit
- To order: Add SMS-08-V81-<u>L3</u> to the product number for the drawer or preconfigured compartment layout, e.g., SMS-08-V81-RF32-362406<u>L3</u>
- For replacement parts or to retrofit this mechanism, order an SMS-08-V81-RY01-<u>L3</u>

PRODUCT NO.

SMS-08-V81-L3

COMPONENTS

MOUNTING BRACKETS

STANDARD MOUNTING BRACKETS

SMS-08-V81-RE00




Modular drawers can be installed in over 35 brands of commercially available shelving.

- Quick and easy hook-on assembly in most brands of shelving
- Standard heights available: 18", 24", 36" and 48"
- Mounting bracket kits are compatible with all drawer widths (30", 36", 42" and 48")
- Each kit includes two front and two rear mounting brackets and all hardware required
- Includes holes spaced 1" apart c/c for easy adjustment of shelves
- Two brackets can be stacked if a shelf is installed between them. The total height of the drawers must not exceed 60", e.g., 36"H+18"H=54"H (safe height).
- To order non-standard mounting bracket heights, please contact Customer Service
- To order: Complete the product number with the shelving brand code required, e.g., RE30-48 for Spider® shelving

PRODUCT NO.	HEIGHT
SMS-08-V81-RE18	18"
SMS-08-V81-RE24	24"
SMS-08-V81-RE36	36"
SMS-08-V81-RE48	48"


EXAMPLES OF COMPATIBLE UPRIGHTS



SHELVING BRAND CODES			
COMPANY	BRAND	CODE	
Aurora	Quik-Lok	SMS-08-V81-RE04	
Bilt Industries	Klip-Bilt II	SMS-08-V81-RE18	
Borroughs	Steel Shelving	SMS-08-V81 - RE02	
Easyup	7000	SMS-08-V81-RE31	
Equipto	V-Grip	SMS-08-V81 - RE29	
EZ Rect	Trim Line	SMS-08-V81-RE26	
EZ Rect	Type I	SMS-08-V81-RE14	
Hallowell	Hi-Tech Shelving	SMS-08-V81-RE07	
Inca	Inca-matic	SMS-08-V81-RE10	
Lyon	8000	SMS-08-V81-RE16	
Metalware	Interlok	SMS-08-V81 - RE05	
Penco	Clipper	SMS-08-V81 - RE08	
Penco	Erectomatic	SMS-08-V81-RE07	
Republic	Clip Shelving	SMS-08-V81-RE20	
Rousseau	«O»	SMS-08-V81-RE01	
Rousseau	Spider®	SMS-08-V81-RE30	
Spacesaver	4-post Shelving	SMS-08-V81 - RE04	
Tennsco	L&T Shelving	SMS-08-V81 - RE04	
Tennsco	Q-Line	SMS-08-V81-RE43	
Tri-Boro	Steel Shelving	SMS-08-V81-RE33	
Triple A	600	SMS-08-V81-RE27	
Western Pacific	Clip Shelving	SMS-08-V81-RE22	
Western Pacific	Deluxe	SMS-08-V81-RE24	

NOTES: Other mounting brackets are available. If your brand of shelving is not listed here, please contact Customer Service.

The brands listed are the property of their respective owners.



CUSTOM-ORDER MOUNTING BRACKETS

We can manufacture mounting brackets for new shelving upon request.

Please contact Customer Service for more information.



VERTICAL SECURITY BAR

SMS-08-V81-RE80

FILLER

SMS-08-V81-RE90







- · Locks all drawers in a shelving unit with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 18"H
- Quick and easy hook-on assembly
- More than one bar on the same mounting bracket can be installed (for different users)
- Installs on the right-hand side
- The 36"H bar is compatible with the 34"H mounting bracket, and the 48"H bar is compatible with the 46"H mounting bracket
- Compatible with Spider® shelving only. For Spacesaver shelving, order SMS-08-V81-RE81-HHL3A instead of SMS-08-V81-RE80-HHL3A
- To order: Specify the type of lock required, for a safety hasp, add SMS-08-V81-LP to the product number; for a standard lock, add SMS-08-V81-L3 to the product number

PRODUCT NO.	HEIGHT
SMS-08-V81-RE80-18A	18"
SMS-08-V81-RE80-24A	24"
SMS-08-V81-RE80-30A	30"
SMS-08-V81-RE80-36A	36"
SMS-08-V81-PE80-48 A	48"



- Installs under the bank of drawers with an adhesive strip
- Fulfills aesthetic requirements of certain work environments (hospitals, offices,
- Compatible with Spider® and Spacesaver shelving only
- For Spacesaver shelving, order
- SMS-08-V81-RE90-WW02 instead of SMS-08-V81-RE90-WW01

PRODUCT NO.	W×H
SMS-08-V81-RE90-3001	30"×5%"
SMS-08-V81-RE90-3601	36"×5/8"
SMS-08-V81-RE90-4201	42"×5/8"
SMS-08-V81-RE90-4801	48"×5%"

NOTES: Other accessories for Spider® shelving are available.

To lock drawers in all other brands of shelving, use the SMS-08-V81-L3 Drawer Lock.

REAL-WORLD EXAMPLES












ASSEMBLY AND SECURITY RECOMMENDATIONS


STACKING BRACKETS


Two sets of mounting brackets can be stacked if a shelf is installed between the two banks of drawers, e.g., 36"H + 18"H.



ASSEMBLY

Assemble with standard tools in three easy steps:





NOTE: * Subtract $\frac{1}{2}$ " for shelving with $\frac{1}{2}$ " adjustable shelves (c/c).